

US00D667789S

(12) United States Design Patent O'Neil

(10) **Patent No.:**

US D667,789 S

(45) **Date of Patent:**

** Sep. 25, 2012

(54) LED POWER SUPPLY CASE

(75) Inventor: Tom O'Neil, Torrance, CA (US)

(73) Assignee: **EPtronics, Inc.**, Los Angeles, CA (US)

(**) Term: 14 Years

(21) Appl. No.: 29/422,763

(22) Filed: May 23, 2012

(52) U.S. Cl. D13/110

D14/188, 265, 354, 355; 307/18, 22, 30, 307/31, 125, 126, 150; 361/600, 601, 622, 361/679, 683; 363/141, 144, 146, 147

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D426,810	\mathbf{S}	*	6/2000	Wei D13/11	0
D427,148	\mathbf{S}	*	6/2000	Wei D13/11	0
D437,288	\mathbf{S}	*	2/2001	Light D13/11	0
D452,677	S	*	1/2002	Weng D13/11	0
D491,523	S	*	6/2004	Chi et al D13/11	0
D550,617	S	*	9/2007	Wang et al D13/11	0
D585,022	S	*	1/2009	Akita D13/13	3
D585,852	S	*	2/2009	Chen D13/18	4
D606,936	S	ajk	12/2009	Nakayama et al D13/11	0
D654,016	S	njk	2/2012	Neidhart D13/10	13

^{*} cited by examiner

Primary Examiner — Derrick Holland

(74) Attorney, Agent, or Firm — Clement Cheng

(57) CLAIM

The ornamental design for a LED power supply case, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a LED power supply case showing my new design.

FIG. 2 is a front view of the first embodiment.

FIG. 3 is a rear view of the first embodiment.

FIG. 4 is a left side view of the first embodiment.

FIG. **5** is a right side view of the first embodiment.

FIG. 6 is a top view of the first embodiment.

FIG. 7 is a bottom view of the first embodiment.

FIG. 8 is a perspective view of a second embodiment of a LED power supply case showing my new design.

FIG. **9** is a front view of the second embodiment.

FIG. 10 is a rear view of the second embodiment.

FIG. 11 is a left side view of the second embodiment.

FIG. 12 is a right side view of the second embodiment.

FIG. 13 is a top view of the second embodiment.

FIG. 14 is a bottom view of the second embodiment.

FIG. 15 is a perspective view of a third embodiment of a LED power supply case showing my new design.

FIG. 16 is a front view of the third embodiment.

FIG. 17 is a rear view of the third embodiment.


FIG. 18 is a left side view of the third embodiment.


FIG. 19 is a right side view of the third embodiment.


FIG. 20 is a top view of the third embodiment; and,

FIG. 21 is a bottom view of the third embodiment.


1 Claim, 9 Drawing Sheets











	3.5.7	3
		3
	100000	3
		3
		3
		3
	(*******************	j
		3
۲		3
2		1
نب		.3
		1
=		3
		3
	, i	3
		the state of the s
		2000
		į
	***************************************	3
×		3
2:		ģ
٠.		3
•	La fa La	7
20		
:		1
	1.	
Ų.	11111	
•••		1
::	••••••••••••••••••••••••••••••••••••••	4
23	; 	
**		
::		
	:	
	<u>:</u>	
ł		
	\$ 4	
2 2		
2 2 2		3
		3
2 2 2 2		
2 2 2 2		
2 2 2 2		
2 2 2 2		
2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3		
2 2 2 2 2 2 2 2 2		
		~ ~
		~ ~
		~ ~
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		~ ~
		~ ~
		~ ~
7		~ ~
		~ ~
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		~ ~
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		
2 2 2 2 2 2 2 2 2		
2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		



















FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13





FIG. 14






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21